

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
8 November 2001 (08.11.2001)

PCT

(10) International Publication Number
WO 01/84423 A2

- (51) International Patent Classification⁷: **G06F 17/60**
- (21) International Application Number: PCT/US01/13123
- (22) International Filing Date: 24 April 2001 (24.04.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
09/560,158 28 April 2000 (28.04.2000) US
09/560,840 28 April 2000 (28.04.2000) US
09/560,157 28 April 2000 (28.04.2000) US
09/560,397 28 April 2000 (28.04.2000) US
- (71) Applicant (*for all designated States except US*): **DELPHION, INC** [US/US]; 3333 West Warrenville Road, Lisle, IL 60532 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **BOYER, Stephen, K.** [US/US]; 18710 Vista De Almaden, San Jose, CA 95120 (US). **GRIFFIN, Thomas, Downes** [US/US]; 416 Richlee Drive, Campbell, CA 95008 (US). **MILLER, Alex** [US/US]; 546 Monterey Drive, Aptos, CA 95003 (US).
- (74) Agent: **BREEN, Peter, C.**; McDonnell Boehnen Hulbert & Berghoff, 300 South Wacker Drive, Suite 3200, Chicago, IL 60606 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— *with declaration under Article 17(2)(a); without abstract; title not checked by the International Searching Authority*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: METHOD, COMPUTER PROGRAM PRODUCT, AND SYSTEM FOR DETERMINING ASSIGNEES RELATED BY COMMON CITED REFERENCES WITH A SOURCE PATENT PORTFOLIO

(57) Abstract:



WO 01/84423 A2

**METHOD, COMPUTER PROGRAM PRODUCT, AND SYSTEM
FOR DETERMINING ASSIGNEES RELATED BY COMMON CITED REFERENCES
WITH A SOURCE PATENT PORTFOLIO**

5 BACKGROUND OF THE INVENTION

1. Field of the Invention.

The present invention relates to systems and methods for making patent documents or portions thereof, such as abstracts, readily available through a computer interface. More specifically, the invention relates to ways of providing meaningful insights by processing a set
10 of existing patents to determine other relevant information.

2. Present State of the Art.

Patent data, including full text and/or images of patents, portions of patents (*e.g.*, patent abstracts, etc.), is available in computer databases and is well known in the art. Currently, a number of companies provide patent information over the Internet, including the United States
15 Patent and Trademark Office, The Intellectual Property Network, and others. While much of the current information is centered around patents issued by the United States, increasingly there is more information from all granting authorities worldwide.

These databases of patent information typically allow searching of the database to find patents of interest. Some searching can be done on the entire text of a patent while other
20 searching is limited to certain portions of patent such as the claims or abstracts. Such searching allows patents of interest to be found by researchers, attorneys, patent examiners, etc. Additionally, in order to make finding relevant patents more convenient, some patent databases provide the ability to follow links to patents that cite a given patent or were cited by the examiner in the prosecution of a given patent.

25 In many instances, services are also available in association with the actual patent data.

For example, it is common to be able to search for patents in a database and then “order” any particular patents of interest to be delivered to you by mail, fax, etc.

Patent databases are used by professional patent searchers doing prior art searches or validity searches for clients, patent examiners during the course of patent application

5 examination, business people to understand areas of technology, and others. Companies who own patents can also conveniently track competitors’ patent issuance activity using such patent databases.

Elements of textual analysis tools have been applied to patent databases in order to extract higher-level information or put more meaning into existing data. See, for example, *Text*

10 *Mining Applied to Patent Analysis* by Hehenberger, et. al., IBM Corp. White Paper, 1998

There is a great need for such intelligent information and ever less expensive computer processing provides ample opportunity to provide such information.

What is needed are ways of calculating relevant intelligent information over what is currently offered by patent database providers and patent analysis products. This will allow

15 new and important insights to be made by the users of such patent databases.

SUMMARY OF THE INVENTION

One aspect of the present invention will determine a ranked list of assignees associated with a source patent portfolio that related by sharing or having in common references with patents in the source patent portfolio.

5 When the present invention is invoked, a source patent portfolio is first created as a starting point. This source patent portfolio may be input by hand or otherwise derived. For example, an assignee may be indicated and all of the patents owned by that particular assignee may be derived and used as the source patent portfolio.

10 Next, a list is made of all the references that are cited by one or more of the patents in the source patent portfolio. This list of references is referred to as the set of covered references or simply the covered references. Based on the list of covered references, a search is made of all patents that share, as a cited reference, at least one of the covered references.

15 Based on the narrowed scope of the entire patent database (*i.e.*, only those patents that share a reference with a patent in the source patent portfolio), more specific processing may now be done. One processing step is to determine all of the assignees that have patents sharing a reference with at least one patent in the source patent portfolio. This set of all assignees (or partial list) can be organized according to some criteria that will provide useful information. In any case, the set of assignees is related to the source patent portfolio by virtue of commonly cited (*i.e.*, “shared”) references.

20 For example, to arrive at a more useful result, the number of patents an assignee has that share a reference with a patent in the source patent portfolio or the total number of references shared (*i.e.*, some patents may share multiple references) or both may be used to rank or organize the assignees according to likely importance.. This can give an indication of the

competitors having a high number of patents in the same technology as the source patent portfolio.

5 A ratio composed of the number of shared references of an assignee's patents with the patents of the source patent portfolio divided by the total number of patents held by the assignee can be calculated for each assignee and give an idea how vested a competitor may be in technology area. The set of all assignees is then ranked or ordered according to this ratio so that those companies heavily vested into the presumably same technology area will rise to the top of the list. Again, this provides a number of competitors to watch, license, or otherwise monitor.

BRIEF DESCRIPTION OF THE DRAWINGS

A more particular description of the invention briefly described above will be rendered by reference to specific embodiments thereof which are illustrated in the appended drawings.

These drawings depict only one or more typical embodiments of the invention and are not

5 therefore to be considered to be limiting of its scope. With respect to the following drawings, like reference numbers denotes the same element throughout the set of drawings.

Figure 1 is a block diagram of a computing device, such as a workstation, wherein the present invention may be practiced.

Figure 2 is logical diagram of an exemplary environment and system of a patent
10 database accessible over the Internet where the present invention can be used and implemented.

Figures 3A-3C are flow charts showing the operation of the system shown in Figure 2 above. Figure 3A shows the steps for general patent searching, Figure 3B shows the steps for accessing detailed information with respect to a certain patent, and Figure 3C shows the steps for accessing a patent image.

15 Figure 4 is a flow chart showing processing steps taken to create and present a list of assignees related to a source patent portfolio by way of the classes covered by the source patent portfolio and organized according to a ranking criteria.

Figure 5 is a flow chart showing processing steps taken to create and present a list of assignees associated to a source patent portfolio related by way of the references cited in the
20 patents of the source patent portfolio and organized according to a ranking criteria.

Figure 6 is a flow chart showing processing steps taken to create and present a list of assignees associated to a source patent portfolio that takes into account the classes covered by the source patent portfolio, the references cited in the patents of the source patent portfolio, the

patents with the classes that cite the patents of the source patent portfolio, and patents of the source patent portfolio that have common references with other patents in the set of classes. These assignees are also organized according to a ranking criteria.

Figure 7 is a flow chart showing processing steps taken to create and present a list of assignees that would be likely candidates for licensing a source patent portfolio and are organized according to a ranking criteria.

DETAILED DESCRIPTION OF THE INVENTION

As used herein, the term “patent” refers to official technical grants from governments or other organizations. Note that other technical materials could also be organized and benefit by the present invention as long as they have the important characteristics associated with governmental patent grants (*i.e.*, able to be organized into a classification system, cross-referencing, etc.). For example, many research journals have extensive bibliographies of articles that are technologically related that function in an analogous manner with respect to the techniques presented herein as “cited references” in patent documents.

As used herein, the term “patent portfolio” means a set of one or more patents. This set of patents are of particular interest for one reason or another. Preferably, though not necessarily, a patent portfolio would be the set of all patents belonging to a single assignee or inventor. Other types of portfolios could be used, however, such as the set of known patents in a related technology, etc.

As used herein, the term “assignee” refers to the entity, such as a corporation, that owns a particular patent usually by assignment. This term can also encompass inventors who do not assign their invention. Those skilled in the art will recognize that equivalent processing, results, and insight can be occur as disclosed herein with respect to inventor-owners as owners by actual assignment. For scholarly articles and other publications, an “author” could be viewed in the same manner as an inventor and an affiliated “organization,” such as a company where the author works or university where the author attends school, could be viewed as an assignee.

As used here, the term “classification system” refers to an organized and defined method of grouping patents, usually, but not necessarily, along technology lines. A patent must fit into at least one class of a classification system and in some instances fit multiple classes. Examples

of classification systems are the US patent classification system and the International Classification system for patents as well as the classification systems used by each country, organization, or entity that issues patents. Furthermore, technical articles in research publications can also be placed into classification systems.

5 As used herein, the term “references” refers to other patents, technical articles, and any other information that is associated with a patent. Usually, though not necessarily, these are found by an Examiner or submitted by an applicant during the course of patent prosecution and “cited” in the patent document. Generally speaking references that are not patent reference are simply referred to as “other references.” Besides the official information associated with a
10 particular patent, other information may be associated with the patent and can be used in the same form as any other reference.

Those skilled in the art will recognize that numerous classification systems may be devised that do not classify all the patents found in a country. For example, a specialized software technology classification system could include patent documents granted from
15 multiple governmental authorities and even include relevant scholarly articles dealing solely with computer software.

Those skilled in the art will recognize that patents may be classified along other lines besides technology and that users may develop arbitrary user-defined classification systems. For example, patents may be classified into industry groups, product lines or lines of business,
20 etc.

Figure 1 is a block diagram of a computing device, such as a workstation, wherein the present invention may be practiced. The environment of Figure 1 comprises a single representative computing device 100, such as a personal computer, workstation, laptop, hand-held computer, information appliance, etc., including related peripheral devices. The

computing device 100 includes a microprocessor 102 or equivalent processing capability and a bus 104 to connect and enable communication between the microprocessor 102 and the components of the computing device 100 in accordance with known techniques. Note that in some computing devices there may be multiple processors incorporated therein.

- 5 The microprocessor 102 communicates with storage 106 via the bus 104. Memory 108, such as Random Access Memory (RAM), Read Only Memory (ROM), flash memory, etc. is directly accessible while secondary storage device 110, such as a hard disk, and removable storage device 112, such as a floppy diskette drive, CD ROM drive, tape storage, etc. is accessible with additional interface hardware and software as is known and customary in the art.
- 10 The removable storage device 112 will have associated therewith an appropriate type of removable media 114, such as a diskette, CD, tape reel or cartridge, solid state storage, etc. that will hold computer useable data and is a form of computer useable medium. Note that a computing device 10 may have multiple memories (*e.g.*, RAM and ROM), secondary storage devices, and removable storage devices (*e.g.*, floppy drive and CD ROM drive).
- 15 The computing device 100 typically includes a user interface adapter 116 that connects the microprocessor 102 via the bus 104 to one or more interface devices, such as a keyboard 118, a mouse or other pointing device 120, a display 122 (such as a CRT monitor, LCD screen, etc.), a printer 124, or any other user interface device, such as a touch sensitive screen, digitized entry pad, etc. Note that the computing device 100 may use multiple user interface adapters in
- 20 order to make the necessary connections with the user interface devices.

The computing device 100 may also communicate with other computing devices, computers, workstations, etc. or networks thereof through a communications adapter 126, such as a telephone, cable, or wireless modem, ISDN Adapter, DSL adapter, Local Area Network (LAN) adapter, or other communications channel. This gives the computing device direct

access to networks 128 (LANs, Wide Area Networks (WANs), the Internet, etc.), telephone lines 130 that may be used to access other networks or computers, wireless networks 132, such as cellular telephone networks, and other communication mechanisms. Note that the computing device 100 may use multiple communication adapters for making the necessary communication connections (e.g., a telephone modem card and a Cellular Digital Packet Data (CDPD). The computing device 100 may be associated with other computing devices in a LAN or WAN, or the computing device can be a client or server in a client/server arrangement with another computer, etc. All these configurations, as well as the appropriate communications hardware and software, are known in the art.

The computing device 100 provides the facility for running software, such as Operating System software 134, Middleware software 136, and Application software 138. Note that such software executes tasks and may communicate with various software components on this and other computing devices.

As will be understood by one of ordinary skill in the art, computer programs such as that described herein (including Operating System software 134, Middleware software 136, and/or Application software 138) are typically distributed as part of a computer program product that has a computer useable media or medium containing or storing the program code. Therefore, “media”, “medium”, “computer useable medium”, or “computer useable media”, as used herein, may include a computer memory (RAM and/or ROM), a diskette, a tape, a compact disc, an integrated circuit, a programmable logic array (PLA), a remote transmission over a communications circuit, a remote transmission over a wireless network such as a cellular network, or any other medium useable by computers with or without proper adapter interfaces. Note that examples of a computer useable medium include but are not limited to palpable physical media, such as a CD Rom, diskette, hard drive and the like, as well as other non-

palpable physical media, such as a carrier signal, whether over wires or wireless, when the program is distributed electronically. Note also that “servlets” or “applets” according to JAVA technology available from Sun Microsystems out of Mountain View, CA, would be considered computer program products.

5 Although the enabling instructions might be “written on” on a diskette or tape, “stored in” an integrated circuit or PLA, “carried over” a communications circuit or wireless network, it will be appreciated, that for purposes of the present invention described herein, the computer useable medium will be referred to as “bearing” the instructions, or the instructions (or software) will be referred to as being “on” the medium. Thus, software or instructions
10 “embodied on” a medium is intended to encompass the above and all equivalent ways in which the instructions or software can be associated with a computer useable medium.

For simplicity, the term “computer program product” is used to refer to a computer useable medium, as defined above, which bears or has embodied thereon any form of software or instructions to enable a computer system (or multiple cooperating systems) to operate
15 according to the above-identified invention.

The term “data structure” refers to a particular organization of meaningful data values that can be used in a predetermined fashion. For example, a network packet has a variety of different data elements that are used and accessed by communications networks and computer nodes for transporting the packet between different computer systems. The packet, as described
20 above, is a data structure and has a tangible embodiment in a computer useable medium when stored in a file, when loaded into system memory, when transported across a communications network, etc. in the same fashion as a computer program product.

It will be likewise appreciated that the computer hardware upon which the invention is effected contains one or more processors, operating together, substantially independently, or

distributed over a network, and further includes memory for storing the instructions and calculations necessary to perform the invention.

Those skilled in the art will recognize that a system according to the present invention may be created in a variety of different ways known in the art. For example, a general purpose
5 computing device as described in Figure 1 may be configured with appropriate software so that the computing device functions as described hereafter. Furthermore, discrete electronic components may be used to create a system that implements all or part of the functional. Finally, note that combinations of multiple computing devices running appropriate software or discrete electrical components can be used in like fashion. Essentially, the hardware is
10 configured (whether by software, custom designed, etc.) to perform the functional elements making up the present invention.

Referring to Figure 2 a logical diagram of an exemplary environment and system of a patent database accessible over the Internet is shown. Client systems 200 are connected to the Internet 202 where they may access the patent database service 204 (represented by the
15 enclosed systems). Note that client systems are typically any computing device 100 that have access to the Internet and will include an ever growing number of devices from Internet “appliances” to cell phones to conventional PCs running web browsing software.

The patent database service 204 interacts with clients 200 by way of a web server 206 that receives requests and serves up pages or documents in HTML format. These pages can be
20 read by common browser software running on the clients 200 and form the user interface with the patent database service 204. For example, a page exist that allow a user to enter a query for patent data while another page will contain a “hit” list of patents that meet the criteria specified in the query. Furthermore, pages can be used to have hardcopies of selected patents faxed to a recipient or printed and mailed to a recipient or to access any other service supported.

The web server is connected to a Local Area Network (LAN) 208 that allows communication with other systems that make up the patent data service 204. Actual patent data is accessible as textual data through a database server 210 with textual data stored in relational tables in the patent data base 212, as image data through image server 214 with patent image data stored on CD ROM towers 216, and as a searchable index through the index server 218 that contains an index of the relational tables in the patent data base 212. The DB2 relational database server from IBM corporation is one preferred relational database server and others exist in the marketplace.

The patent data is loaded into the patent database 212 and organized in tables according to the various parts of the patent documents. Raw patent data found in a flat file is parsed into defined fields appropriate for servicing queries on the data. Using US patent data as an example, the database may be set up with a main "table" for "Patents" with each entry having a patent number (patn), the main United States class of the patent (US_class), etc. Other tables could be used to show the linkage between patents or between patents and other technical references.

Note that those skilled in the art will recognize that the data can be and in many instances should be organized in different tables in order to achieve efficient operation in terms of storage and data base performance. For purposes of example teaching, a logical organization of patent data is presented below:

Patents(patn, assignee_name, US_class, licensee_flag, . . .) The "Patents" table contains the bulk of the patent information. Besides the patent number (patn), the assignee (assignee_name), the main United States class of the patent (US_class), and an indication if the assignee is licensed (licensee_flag), the table may contain entries for the various parts of the issues patent such as abstract, claims, etc. Additional information about the patent such as whether it is or has been involved in litigation, whether the maintenance fees are current, etc.

can also be placed in this table. Only those columns that are relevant to explain the present embodiment are shown. When an assignee is licensed to a particular patent, the licensee_flag will be marked to true or 'Y'. Note that those skilled in the art may elaborate upon this basic structure to include sub classes or multiple classification systems and other apparent
5 modifications.

Pref(patn, pat_reference. . .) The "Patent Reference" (Pref) table allows for making the connections between different patents. Each entry is a patent number (patn) and a patent number of a reference cited for that patent (pat_reference). There is a many-to-many relationship between patn and pat_reference since a given patent may have many patent
10 references cited thereto and the same patent may be cited in many different patents.

Oref(patn, other_reference,. . .) The "Other Reference" (Oref) table allows for making connections between patents and other technical publications. Each entry is a patent number (patn) and a reference cited for that patent (other_reference). There is a many-to-many relationship between patn and other_reference since a given patent may have many technical
15 publication references cited thereto and the same technical publication may be cited in many different patents.

The preceding general tables are presented in logical format and it is understood that an actual implementation may break the tablea up in such a manner as will facilitate management of such a large amount of data as is required for collections of patent data.

20 Note also that a patent data service 204 may take information from multiple sources to build the patent database 212. For example, the US patent office periodically releases current status on the payment of maintenance fees required to keep a patent in force. This information may be combined with the information issued patents to know whether a particular patent is still enforceable or not.

Another example would be the utilization of assignee changes published periodically due to mergers, acquisitions, etc. The power of organizing the patent information in the form of relational tables allows easy correlation of this changed information received after the fact to the issued patent data.

5 Those skilled in the art will realize that a patent data service could also bring in relevant information beyond that provided by an issuing authority. For example, information regarding the assignee could be placed in the database or otherwise made available (*i.e.*, links to other databases or web sites).

Once the data has been appropriately parsed into a database (preferably an SQL
10 relational database, such as IBM's dB/2) users can then perform (SQL) queries on the data to search for desired data. In a relational environment, the powerful capabilities of relational operations can be used advantageously to get information that would be very difficult to obtain if the data was organized in other formats, such as stored as flat files.

Other elements that are part of the patent data service are image servers 214 that are
15 used to access images of the actual patents stored on a number of CD ROM towers 216, an index server 218 that provides an easily searchable index of all the patent data in the patent database 212, a fax server 220 that is used to fax an image of a patent or other information to a recipient fax machine 222, and a print server 224 that will print patent documents or other data onto a printer 226. Together, the constituent elements of the patent data service 204 provide
20 base patent data services, such as access to full text searching on patent data or patent document delivery services, and more advanced services.

Those skilled in the art will recognize that many variations on the patent data service 204 as shown can be made without changing the basic purposes of the service. For example, not all of the different servers are needed depending on the level of service provided. For

example, if fax delivery is not supported, the fax server 220 is not needed. Additionally, a single physical machine may support more than one of the servers illustrated.

Referring now to Figures 3A-3C, flow charts showing operation of the patent data service 204 are presented. Figure 3A is an example operation of processing a query. Though
5 this example deals with query processing that returns a "hit list" of patent numbers and titles, it is instructive to show the operation of the system. Initially, one of the clients 200 will contact the web server 206 that will return a web page interface to the client at step 300. This web page will have an area that allows the user to indicate a query to the patent database. Once the user selects the query terms he will depress a search button or otherwise cause the query information
10 to be transmitted to web server 206.

At step 302, the HTTP request containing the query information is received at the web server 206. The web server 206 will process the information and determine that a query is desired and what search terms need to be used and will make access to the index server 218 over the LAN 208. A Common Gateway Interface (CGI) script is typically used to translate the
15 search terms found in the HTML document to proper SQL statements that can be processed by a database search engine. Note also, that XML with stylesheets may also be implemented to provide the HTML compatible pages to browsers and the like and allow further flexibility to the patent data service.

The index server 218 has a search engine and a patent index to all the patent data found
20 in relational patent data base 212. The index server 218 will receive the SQL query and execute the search into the patent index at step 304; returning the results to the web server 206. These results come back in the form of a "hit list" indicating a patent number, issue date, and title. Finally, the web server 206 manipulates the hit list data into the proper format and serves up the search results in an HTML document that is returned in the HTTP response to the client. The

user can then view the search results using the HTML capable browsing software executing on the client.

Referring now to Figure 3B, a flow chart showing the steps taken to access more detailed patent information is presented. Again, the client is provided some form of user interface in an HTML page by the web server 206 at step 308. This may be part of the hit list page discussed previously (e.g., clicking on the patent number or title might trigger a request for more detailed information) or in an unrelated page.

At step 310, the HTTP request containing the request for more detailed information regarding a specific patent is received at the web server 206. The web server 206 will process the request and will make access to the data base server 216 over the LAN 208 to retrieve the detailed information. Again, a CGI script is used to create the proper SQL statement(s) that direct the search engine.

This detailed information can be anything according to the system design up to including the entire text of the patent along with other relevant information. One example set of “detailed” information is the first page data of a US patent along with the abstract and initial claim.

The data base server 210 will execute the search into the relational patent data base 212 at step 312 and return the results to the web server 206. Next, the web server 206 arranges the detailed information into the proper format and serves up the search results in an HTML document that is returned in the HTTP response to the client. This formatting may include links that will cause the patent data service 204 to provide additional detailed information (e.g., the short summary or other section of the patent that wasn’t provided previously), links to request images of the actual patent document, additional services, etc. The user can then view the detailed information using the HTML capable browsing software executing on the client.

Referring now to Figure 3C, a flow chart showing the steps taken to download an image of an actual patent document is presented. Again, the client is provided some form of user interface in an HTML page by the web server 206 at step 316. This may be part of the hit list page discussed previously (e.g., clicking on button might trigger a request for the patent image) or in an unrelated page that lets the user designate which patent(s) are desired as an image of the original patent document.

At step 318, the HTTP request containing the request for the image regarding a specific patent is received at the web server 206. The web server 206 will process the request and will make access to one or more image servers 214 over the LAN 208 to retrieve the patent image from the CD ROM towers 216 storing a library of such images. The user can request the patent image to be in any one of commonly available formats such as TIFF, PDF, etc.

The image server 214 will access the image from the CD ROM towers 216 at step 320 and return the results in the proper image format to the web server 206. Finally, the web server 206 causes the patent image to be downloaded to the client where it can be viewed, saved, printed, or otherwise manipulated by the user at step 324.

Referring now to Figure 4, a flow chart showing the processing steps taken to create a list of assignees that are related to a source patent portfolio by having classes of a classification system in common is presented. The results of such an analysis can give insight into what other assignees are heavily involved in the same technology areas as that covered by the source patent portfolio.

Initially, at step 400 a source patent portfolio is created or identified. Those skilled in the art will recognize that there are many ways that could be employed to determine a set of patents that make up a source patent portfolio. For example, A user may select the individual patents of interest that make up the source patent portfolio though this could be a tedious task.

Alternatively, the source patent portfolio may be based on a search of the patent database 212.

One useful way is to base the source patent portfolio on some or all of the patents held by a particular assignee. The desired assignee can be received by the web server 206 and all of the patents can be determined for that assignee and used as a source patent portfolio.

- 5 Depending on whether we use the assignee code used by the USPTO or an assignee name, the following SQL statement against the table definitions presented previously would return the desired patent numbers to make an assignee source patent portfolio:

```
SELECT patn
FROM Patents
10 WHERE assignee_name = <name>
```

- Assignees can be organized according to name and/or preferably by the USPTO normalized assignee number. Using the assignee number is generally a more reliable way of getting all of the patents for a particular assignee as variations in assignee name or
- 15 typographical errors will be recognized as different assignees. Below is an example of an SQL statement using the assignee code that can be derived from an assignee name.

```
SELECT patn
FROM Patents
20 WHERE assignee_code = <code>
```

Once a source patent portfolio has been created, the set of classes in a classification system covered by the source patent portfolio is determined in step 402. The source patent portfolio will be referred to as PORTFOLIO and is composed of a set of patent numbers.

- 25 Once the desired source patent portfolio PORTFOLIO is created, the set of classes, COVERED_CLASSES, that are covered by the source patent portfolio is determined at step 402. Again using the example of US patent data organized into relational tables indicated

previously, one way to achieve this is shown with the following SQL statement will would return the appropriate set of US classes:

```
5  SELECT DISTINCT US_class
   FROM Patents
   WHERE patn IN SELECT patn FROM PORTFOLIO
```

Now, a set of patents representing all the patents in the covered classes occurs at step 404. This operates as an intermediary set for further processing. One way to achieve this using patent data organized in relational tables as presented previously requires issuing the following SQL statement to create a set of patents, COVERED_PATENTS:

```
15  SELECT DISTINCT patn
   FROM Patents
   WHERE US_class IN SELECT US_class FROM COVERED_CLASSES
```

From this intermediate set of patents, all the distinct assignees are determined at step 406. Furthermore, each distinct assignee will eventually be organized according to a ranking criteria that will help provide meaning into the relationship of the assignee with respect to the covered classes.

20 As used herein, the term “ranking criteria” refers to many different forms of organizing the assignees. While some examples follow, those skilled in the art will clearly recognize ways of ranking or otherwise organizing a group of assignees so that the most relevant assignees for a particular purpose can be easily identified.

For example, one simple criteria is that of the assignees with the most patents in the covered classes should be ranked highest will indicate which assignees (*i.e.*, companies or competitors) are most present in the classes of the source patent portfolio. At step 408 the number of patents for each assignee is determined and the assignees are ranked according to the

number of patents in the covered classes in step 410. An example SQL statement that can achieve this result using the tables of US patent data shown previously and the intermediate results explained above:

```
SELECT COUNT(patn) AS pcount, assignee_name  
FROM Patents  
WHERE patn IN SELECT patn FROM COVERED_PATENTS  
GROUP BY assignee_name  
ORDER BY pcount
```

Such an SQL statement would return results in the example format of Table 1 below:

assignee_name	pcount
XYZ	29
LMN	21
ABC	13
PQR	13
.	.
.	.
.	.

TABLE 1

Another way of ranking the distinct assignees determined in step 406 is to provide a weighted view of the patents in the covered classes so that an indication of a given assignee's (*i.e.*, company's, competitor's) total portfolio is in the covered classes. In other words, those assignees who have a large percentage of their total patents in the covered classes will tend to be ranked higher even if they have relatively fewer patents than other assignees who have more patents numerically in the covered classes. This tends to focus more on an assignee's focus along a particular technology and may be more relevant.

This can be easily done by finding the number of total patents for each assignee (in all classes) and dividing this number into the number found in the covered classes. This gives a

ratio of the total patents to the patents in the covered classes for each assignee.

As an example, the total number of patents for each assignee can be determined by the following SQL statement:

```

5  SELECT COUNT(patn) AS pcount, assignee_name
   FROM Patents
   WHERE assignee_name IN
       (SELECT assignee_name
        FROM Patents
        WHERE patn IN
10      (SELECT patn
         FROM COVERED_PATENTS))
   GROUP BY assignee_name
   ORDER BY pcount

```

15 Given this information, the calculations can readily be made to determine the ratio above indicating the amount each assignee is invested into the covered classes and the results tabulated into Table 2 below:

assignee_name	Ratio
ABC	1.0
LMN	.88
XYZ	.10
PQR	.10
.	.
.	.
.	.

TABLE 2

20 Reviewing the results of Table 2 in comparison with Table 1, we note that while

assignee ABC had significantly fewer patents than assignee XYZ, all of those patent were in the covered classes and would suggest that the entire company is centered around the technology of the covered classes. XYZ, on the other hand, while well represented and covered by patents in the covered classes does not have a significant portion of its overall technology portfolio (as
5 represented by issued patents) in the covered classes.

Finally, at step 412, the results of the previous steps processing' that created the ranked list of assignees related by the classes covered by the source patent portfolio is presented to a user. In the environment of the patent data service 204, this is done by returning the results of the SQL statements done on the relational patent data base 212 by the data base server 210 to
10 the web server 206. The results are formatted for the client by the web server 206 and sent to a client browser in response to an initial request.

Referring now to Figure 5, a flow chart showing the processing steps taken to create a list of assignees that are related to a source patent portfolio by having cited references in common is presented. The results of such an analysis can give insight into what other assignees
15 are heavily involved in the same technology areas as that covered by the source patent portfolio.

Initially, at step 500 a source patent portfolio is created or identified. The various ways a patent portfolio can be created was explained in more detail above. Those skilled in the art will recognize that there are many ways that could be employed to determine a set of patents that make up a source patent portfolio.

20 Once a source patent portfolio has been created, the set of cited references covered by the source patent portfolio is determined in step 502. The source patent portfolio will be referred to as PORTFOLIO and is composed of a set of patent numbers.

Once the desired source patent portfolio PORTFOLIO is created, the set of cited patent

references, COVERED_PATENT_REFERENCES, and the set of other references, COVERED_OTHER_REFERENCED, contained in the source patent portfolio is determined at step 502. Again using the US patent data organized into relational tables indicated previously, we can use all of the patents contained in the bibliographic information for each of the patents in PORTFOLIO as an example of a set of cited references. Note that those skilled in the art could include the other non-patent references in the bibliographic information or data outside of the patent itself but afterwards related in some way. For the cited patent data example, this is shown with the following SQL statement(s) which will return the set of cited patent references, COVERED_PATENT_REFERENCES, and a set of other references, COVERED_OTHER_REFERENCES, that together include references to other US patents (pat_references) and references to other material (other_references), such as academic publications, professional journals, etc. The SQL statement below is used for COVERED_PATENT_REFERENCES:

```
15  SELECT DISTINCT pat_reference
    FROM Pref
    WHERE patn IN SELECT patn FROM PORTFOLIO
```

To determine COVERED_OTHER_REFERENCES, a similar SQL statement is used:

```
20  SELECT DISTINCT other_reference
    FROM Oref
    WHERE patn IN SELECT patn FROM PORTFOLIO
```

Now, a set of patents representing all the patents that have cited therein at least one of the references from the cited references lists, COVERED_PATENT_REFERENCES and COVERED_OTHER_REFERENCES, is computed at step 504. This operates as an intermediary set for further processing and is known as SHARED_REFERENCE_PATENTS.

One way this can be done using patent data organized in relational tables as presented previously requires joining the following SQL statements to create a set of patents,

SHARED_REFERENCE_PATENTS:

```
5  SELECT DISTINCT patn
   FROM Pref
   WHERE pat_reference IN SELECT pat_reference FROM
                           COVERED_PATENT_REFERENCES

10 SELECT DISTINCT patn
   FROM Oref
   WHERE other_reference IN SELECT other_reference FROM
                           COVERED_OTHER_REFERENCES
```

From this intermediate set of patents, all the distinct assignees are determined at step 506. Furthermore, each distinct assignee will eventually be organized according to a ranking criteria that will help provide meaning into the relationship of the assignee with respect to the source patent portfolio.

For example, one simple criteria is that of ranking the assignees with the most patents having at least one common cited references with one of the patents in the source patent portfolio (*i.e.*, the most patents in SHARED_REFERENCE_PATENTS). The highest ranked will indicate which assignees (*i.e.*, companies or competitors) are most linked by common references to the source patent portfolio. It should follow that the assignees are in very much the same technology area at the source patent portfolio since the patent examiners are citing the same relevant art, the inventors have knowledge of the same references that they submit, searches performed by counsel and submitted are uncovering the same technology, etc.

Since some patents by a particular assignee may contain more than one of the cited references found in COVERED_PATENT_REFERENCES or COVERED_OTHER_REFERENCES, another ranking criteria would be to count the total

number of cited references (regardless of the number of patents) contained within all the patents held by an assignee. This would allow an assignee having relatively fewer patents with common cited references but having patents that have multiple common cited references per patent to be better reflected in a ranking. Those skilled in the art will see further variations that take into account multiple references “linking” patents together, forward references and backward references in addition to shared references, references to common non-patent related information (both cited in the patent and later associated with the patent database), etc.

At step 508 the number of patents for each assignee is determined and the assignees are ranked according to the number of patents that have at least one common cited reference from those in the source patent portfolio in step 510. An example SQL statement that can achieve this result using the tables of US patent data shown previously and the intermediate results explained above:

```
SELECT COUNT(patn) AS pcount, assignee_name
FROM Patents
WHERE patn IN SELECT patn FROM SHARED_REFERENCE_PATENTS
GROUP BY assignee_name
ORDER BY pcount
```

Such an SQL statement would return results in the example format of Table 3 below:

assignee_name	pcount
XYZ	29
LMN	21
ABC	13
PQR	13
.	.
.	.
.	.

TABLE 3

Another way of ranking the distinct assignees determined in step 506 is to provide a weighted view of the patents having a common cited reference with respect to an assignee's (*i.e.*, company's, competitor's) total portfolio. In other words, those assignees who have a large percentage of their total patents having cited references in common with the source patent portfolio will tend to be ranked higher even if they have relatively fewer patents than other assignees who have more numerous patents with common cited references.

This can be easily done by finding the number of total patents for each assignee (in all classes) and dividing this number into the number found having common cited references. This gives a ratio of the total patents to the patents in the covered classes for each assignee.

As an example, the total number of patents for each assignee can be determined by the following SQL statement:

```

SELECT COUNT(patn) AS pcount, assignee_name
FROM Patents
WHERE assignee_name IN
  (SELECT assignee_name
   FROM Patents
   WHERE patn IN
    (SELECT patn
     FROM SHARED_REFERENCE_PATENTS))
GROUP BY assignee_name
ORDER BY pcount

```

Given this information, the calculations can readily be made to determine the ratio above indicating the amount invested each assignee over the common cited references and the results tabulated into Table 4 below:

assignee_name	Ratio
ABC	1.0

LMN	.88
XYZ	.10
PQR	.10
.	.
.	.
.	.

TABLE 4

Reviewing the results of Table 4 in comparison with Table 3, we note that while assignee ABC had significantly fewer patents than assignee XYZ, all of those patent had at least one cited reference in common with one of the patents in the source patent portfolio, suggesting a close alignment with the technology covered by the source patent portfolio. XYZ, on the other hand, while having many patents with common cited references may not be as aligned with the technology found in the source patent portfolio.

Finally, at step 512, the results of the previous steps processing that created the ranked list of assignees related by the classes covered by the source patent portfolio is presented to a user. In the environment of the patent data service 204, this is done by returning the results of the SQL statements done on the relational patent data base 212 by the data base server 210 to the web server 206. The results are formatted for the client by the web server 206 and sent to a client browser in response to an initial request.

Referring now to Figure 6, a flow chart showing processing steps taken to create and present a list of assignees associated to a source patent portfolio that takes into account the classes covered by the source patent portfolio, the references cited in the patents of the source patent portfolio, the patents with the classes that cite the patents of the source patent portfolio,

and patents of the source patent portfolio that have common references with other patents in the set of classes. As before, the results of such an analysis can give insight into what other assignees are heavily involved in the same technology areas as that covered by the source patent portfolio.

5 Initially, at step 600 a source patent portfolio is created or identified. The various ways a patent portfolio can be created was explained in more detail above and will be composed of a set of patent numbers and referred to as PORTFOLIO.

 Once the desired source patent portfolio PORTFOLIO is created, the set of classes, COVERED_CLASSES, that are covered by the source patent portfolio is determined at step
10 602. Again using the example of US patent data organized into relational tables indicated previously, one way to achieve this is shown with the following SQL statement will would return the appropriate set of US classes:

```
15   SELECT DISTINCT US_class  
    FROM Patents  
    WHERE patn IN SELECT patn FROM PORTFOLIO
```

 Now, a set of patents representing all the patents in the covered classes occurs at step
20 604. This operates as an intermediary set for further processing. One way to achieve this using patent data organized in relational tables as presented previously requires issuing the following SQL statement to create a set of patents, COVERED_PATENTS:

```
25   SELECT DISTINCT patn  
    FROM Patents  
    WHERE US_class IN SELECT US_class FROM COVERED_CLASSES
```

 At step 606, the references cited in the patents that are in source patent portfolio is made so that all the patents in the covered classes that are cited can be determined and made part of a

set of correlated patents, CORRELATED_PATENTS. The set of correlated patents will contain patents of interest, namely those having forward references, backward references, and shared references between the source patent portfolio and the patents in the covered classes. The greater number of these “linkages” on an assignee basis will tend to indicate similarity
5 between patents owned by an assignee and the source patent portfolio.

A “backward” reference is one where a particular reference shows up on a patent in the source patent portfolio (or other relevant group of patents) and is backwards in time (*i.e.*, the reference typically predates the patent citing it). A “forward” reference are references to a patent in a source patent portfolio (or other relevant group of patents) and an is forward in time
10 (*i.e.*, the patent that has the reference is later than the patent cited). A “shared” reference is the same reference showing up both in a patent of the source patent portfolio and in a patent contained in the set of covered classes or other relevant group of patents (*e.g.*, all patents, an industry group of patents, etc.).

Initially, the set of correlated patents contains patent correlated by being in the same
15 covered classes as the source patent portfolio and also being cited by at least one of the patents in the source patent portfolio. These are the “backward” references from the patents in the source patent portfolio to the patents in the covered classes. One way this can be done is shown in the following SQL statements. First, a set of unique patent references, UPR, is determined for the source patent portfolio:

```
20 SELECT DISTINCT pat_reference  
FROM Pref  
WHERE patn IN SELECT patn FROM PORTFOLIO
```

25 Note that only patent references are sought since, for this example, the source patent

portfolio and patents in the covered classes are composed of only patents and not other kinds of documents. Then, those patents in the covered classes that are actually cited by one of the patents in the source patent portfolio is given by:

```
5  SELECT DISTINCT patn
   FROM COVERED_PATENTS
   WHERE patn IN SELECT pat_reference FROM UPR
```

Additionally, at step 608, the patents in the covered classes that cite any of the patents in
10 the source patent portfolio are determined. These are the “forward” references from the patents
in the covered classes to the patents in the source patent portfolio. This can be done using the
following SQL statement:

```
SELECT DISTINCT pat_reference
FROM Pref
15 WHERE patn IN
      (SELECT patn
       FROM COVERED_PATENTS)
AND pat_reference IN
      (SELECT patn
20      FROM PORTFOLIO)
```

These patents are also added to the set of correlated patents. Now, the set of correlated
patents contains patents with forward references (*i.e.*, those from the patents in the covered
classes to patents in the source patent portfolio) and backwards references (*i.e.*, those from
25 patents in the source patent portfolio to patents in the covered classes).

Next, we add to the set of correlated patents those patents in the covered classes that
have common or shared references with those patents in the source patent portfolio. As a
preliminary matter, the set of covered patent references,
COVERED_PATENT_REFERENCES, and the set of covered other references,

COVERED_OTHER REFERENCES, from the source patent portfolio is ascertained at step 610. Note that these references are all references (pat_references + other_references) that are cited in the patents of the source patent portfolio and the patents in the covered classes and are not restricted to just the patent references. As before, an SQL statement that can perform this operation for patent references is given by:

```
SELECT DISTINCT pat_reference
FROM Pref
WHERE patn IN SELECT patn FROM PORTFOLIO
```

And for other references, the SQL statement is:

```
10 SELECT DISTINCT other_reference
FROM Oref
WHERE patn IN SELECT patn FROM PORTFOLIO
```

Next, in step 612, the patents in the covered class that share or have a common reference with the patents in the source patent portfolio is determined. Again, this can be done using an SQL statement in the example environment, with the results being added to the set of correlated patents. The following SQL for patent references:

```
SELECT DISTINCT patn
FROM Pref
20 WHERE pat_reference IN
      (SELECT pat_reference
       FROM COVERED_PATENT_REFERENCES)
AND patn IN
      (SELECT patn
25      FROM COVERED_PATENTS)
```

And the following SQL statement for other references:

```
30 SELECT DISTINCT patn
FROM Oref
WHERE other_reference IN
      (SELECT other_reference
       FROM COVERED_OTHER_REFERENCES)
AND patn IN
```

```
(SELECT patn  
FROM COVERED_PATENTS)
```

These patents having shared references are added to the set of correlated patents. The
5 set of correlated patents now contains patents from the covered classes having at least one
reference of either “backwards,” “forward,” or “shared” references.

Using this intermediate set of correlated patents, all the distinct assignees are determined
at step 614. At step 616, the number of forward and backwards references between the patents
in the source patent portfolio and the patents in the covered classes will be determined for each
10 assignee. At step 618, the number of times a reference is shared between patents in the source
patent portfolio with the patents in the covered classes will be determined on an assignee basis.

Finally, at step 620, each distinct assignee will eventually be organized according to a
ranking criteria that will help provide meaning into the relationship of the assignee with respect
to the source patent portfolio. One way this can be done is to simply tabulate the total number
15 of references (backwards, forwards, and shared) between the patents in the source patent
portfolio and the patents in the covered classes.

Below are a set of SQL statements in the example environment that organize and rank
the assignees appearing in the set of correlated patents. By adding the results for each particular
count value together, and then re-ranking or reordering the assignees based total references, a
20 ranked ordering of assignees having very similar technology to the source patent portfolio
results.

For “backwards” references:

```
SELECT COUNT(pat_reference) AS backward_ref_count, assignee_name  
FROM Pref  
25 WHERE patn IN  
      (SELECT patn
```

```

        FROM COVERED_PATENTS)
AND patn IN
    (SELECT pat_references
    FROM UPR)
5  GROUP BY assignee_name
    ORDER BY backward_ref_count

```

This could give results according to Table 5 below:

assignee_name	backward_ref_count
XYZ	35
LMN	27
ABC	17
PQR	9
.	.
.	.
.	.

10

TABLE 5

For “forward” references:

```

SELECT COUNT(pat_reference) AS forward_ref_count, assignee_name
FROM Pref
WHERE patn IN
15  (SELECT patn
    FROM PORTFOLIO)
AND patn IN
    (SELECT pat_references
    FROM COVERED_UPR)
20 GROUP BY assignee_name
    ORDER BY forward_ref_count

```

This could give results according to Table 6 below:

assignee_name	forward_ref_count
LMN	17
XYZ	9
ABC	9
PQR	7
.	.
.	.
.	.

TABLE 6

For “shared” references, joining the following two statements (one for patent references

5 and the other for other references):

```

SELECT COUNT(pat_reference) AS shared_ref_count, assignee_name
FROM Patents
WHERE patn IN
      (SELECT patn
10      FROM COVERED_PATENTS)
AND pat_reference IN
      (SELECT pat_reference
      FROM COVERED_PATENT_REFERENCES)
GROUP BY assignee_name
15 ORDER BY shared_ref_count

```

```

SELECT COUNT(other_reference) AS shared_ref_count, assignee_name
FROM Patents
WHERE patn IN
20      (SELECT patn
      FROM COVERED_PATENTS)
AND other_reference IN
      (SELECT other_reference

```

FROM COVERED_OTHER_REFERENCES)
 GROUP BY assignee_name
 ORDER BY shared_ref_count

5 This could give results according to Table 7 below:

assignee_name	shared_ref_count
ABC	11
LMN	7
XYZ	3
PQR	1
.	.
.	.
.	.

TABLE 7

Combining the individual results (or using an appropriate SQL statement or statements)
 would give the total ranked results as shown below in Table 8:

10

assignee_name	backward_ref_ count	forward_ref_count	shared_ref_count	Total
LMN	27	17	7	51
XYZ	35	9	3	47

37

ABC	17	9	11	37
PQR	9	7	1	17
.
.
.

TABLE 8

Looking only at the total to report back, Table 9 below would indicate that assignee LMN would have the most related technology based on the total number of references:

assignee_name	Total (Raw Reference Counts)
LMN	51
XYZ	47
ABC	37
PQR	17
.	.
.	.
.	.

5

TABLE 9

By weighting the shared references value by a factor of 5x, a different organization of assignees will result. This would be useful in the case where sharing references more highly indicates that the technology covered by the two sharing patents is more similar. This is given

10 by Tables 10 and 11, respectively, shown below.

assignee_name	backward_ref_ count	forward_ref_count	5x Weighting shared_ref_count	Total
ABC	17	9	55	81
LMN	27	17	35	79
XYZ	35	9	15	59
PQR	9	7	5	21
.
.
.

TABLE 10

Looking only at the total to report back, Table 9 below would indicate that assignee

- 5 LMN would have the most related technology based on the total number of references:

assignee_name	Total (Weighted Shared Count)
ABC	81
LMN	79
XYZ	59
PQR	21
.	.

:	:
.	.

TABLE 11

Finally, at step 622, the results of the previous steps processing' that created the ranked
5 list of assignees related by the classes covered by the source patent portfolio is presented to a
user. In the environment of the patent data service 204, this is done by returning the results of
the SQL statements done on the relational patent data base 212 by the data base server 210 to
the web server 206. The results are formatted for the client by the web server 206 and sent to a
client browser in response to an initial request.

10 Those skilled in the art will see many variations that fit within the ambit of managing
and weighting the different kinds of references. For example, one form of reference may be
more heavily weighted in some fashion as shown above. Another variation could involve other
SQL code to determine multiple references per patent and give additional weighting to those
circumstances.

15 Referring now to Figure 7, a flow chart showing processing steps taken to create and
present a list of assignees that are likely candidates to license a source patent portfolio is shown.

Initially, at step 700 a source patent portfolio is created or identified. The various ways
a patent portfolio can be created was explained in more detail above and will be composed of a
set of patent numbers and referred to as PORTFOLIO.

20 At step 702, the patent references cited in the patents that are in the source patent
portfolio are added to a set of associated patents, ASSOCIATED_PATENTS. The set of
associated patents will eventually contain patents indicating a technology relationship to the

source patent portfolio and may include those having forward references, backward references, and shared references with respect to the source patent portfolio. The greater number of these “linkages” on an assignee basis will tend to indicate similarity between patents owned by an assignee and the source patent portfolio, and , hence, a likelihood that a particular assignee
5 would be a candidate for licensing.

A “backward” reference is one where a particular reference shows up on a patent in the source patent portfolio (or other relevant group of patents) and is backwards in time (*i.e.*, the reference typically predates the patent citing it). A “forward” reference is a reference to a patent in a source patent portfolio (or other relevant group of patents) and an is forward in time (*i.e.*,
10 the patent that has the reference is later than the patent cited). A “shared” reference is the same reference showing up both in a patent of the source patent portfolio and in another patent. This other patent may also be constrained to be part of another group, such as those in a specified set of classes (see above) or from the body of all patents.

Initially, the set of associated patents contains those patents that are cited by a patent in
15 the source patent portfolio. One way this can be done is shown in the following SQL statement:

```
SELECT DISTINCT pat_reference  
FROM Pref  
WHERE patn IN  
20     (SELECT patn  
        FROM PORTFOLIO)
```

Additionally, at step 704, patents that cite any of the patents in the source patent portfolio are determined. These are the “forward” references to the patents in the source patent
25 portfolio. This can be done using the following SQL statement:

```
SELECT DISTINCT patn
FROM Pref
WHERE pat_reference IN
      (SELECT patn
5      FROM PORTFOLIO)
```

These patents are also added to the set of associated patents. Now, the set of associate
patents contains patents with forward references (*i.e.*, those to patents in the source patent
10 portfolio) and backwards references (*i.e.*, those from patents in the source patent portfolio).

Additional patents that are directly related to the source patent portfolio could also be
added to the set of associated patents could be expanded at this point in a number of ways. For
example, patents with shared references with the source patent portfolio could be added.

At step 706, a decision point is made as to whether to expand upon the set of associated
15 patents should be undertaken. Expansion is taken to widen out the number of patents contained
in the set of associated patents by looking at patents related to current set of associated patents.
This is done by looking at the associated patents and treating them the same as the source patent
portfolio to find even more related patents. In other words, the current set of associated patents
can be analyzed for backward, forward, and shared references to still other patents. These other
20 patents are then added to the set of associated patents so that set of associated patents expands
in size and breadth. This can be done over a number of iterations or until a specific number of
patents are in the set of associated patents or any other criteria.

If the decision is made to expand the set of associated patents at step 706, one
embodiment will add to the set of associated patents, at step 708, all patents that are cited by
25 any one of the patents currently in the set of associated patents (*i.e.*, backward references). An
SQL statement that can accomplish this is given as follows:

```
SELECT DISTINCT pat_reference
FROM Pref
WHERE patn IN
  (SELECT patn
   FROM ASSOCIATED_PATENTS))
```

At step 710, we add all patents that cite any one of the patents currently in the set of associated patents to the set of associated patents (*i.e.*, forward references). This can be accomplished with the following SQL statement:

patent portfolio. This can be done, for example, using the following SQL statement:

```
SELECT DISTINCT patn
FROM Pref
WHERE pat_reference IN
  (SELECT patn
   FROM ASSOCIATED_PATENTS)
```

Note that it is desirable in some instances for the backward reference patent should not be added into the set of associated patents until the forward reference patents are gathered so as to expand the set of associated patents equally. Note also that patents with shared references with the current set of associated patents may also be ascertained and added to the set of associated patents. Further, other related patents may be added as will be apparent to one skilled in the art.

The recursive querying capability of modern relational databases, such as DB2, provide an easy mechanism to expand out the set of associated patents to many levels. How many levels (or iterations through steps 706 - 710) will determine the size of the set of associated patents from which assignees will be derived..

Next, at step 712, the assignees contained in the set of associated patents is determined as RAW_ASSIGNEES. An example SQL statement to achieve this would be:

```
SELECT DISTINCT assignee_name  
FROM Patents  
WHERE patn IN  
    (SELECT patn  
5      FROM ASSOCIATED_PATENTS)
```

The assignees who have already been licensed are removed from the list of “raw” assignees at step 714 and are seen as potential licensees. One way this can be done is through the SQL statement below that presumes storing licensing information on a per patent basis and
10 builds upon the statement above:

```
SELECT DISTINCT assignee_name  
FROM Patents  
WHERE patn IN  
15    (SELECT patn  
      FROM ASSOCIATED_PATENTS)  
AND licensee_flag != 'Y'
```

Those skilled in the art will recognize that a list of licensed assignees (either by name or
20 PTO number) could be compiled and then subtracted from the list of “raw” assignees.

At step 716, the potential licensees may be ranked according to numerous criteria as has been explained previously. They can be ranked by the assignees with the most patents in the set of associated patents or source patent portfolio, the largest number of “references” to patents in the associated patents or source patent portfolio (*e.g.*, backward, forward, and shared), a ratio
25 based on either number references or number patents divided by the total number of patents owned by an assignee, any of the above with an extra weighting given to a patent with multiple references or extra weighting given to a type of reference, etc.

Finally, at step 718, the results of the previous steps processing that created the ranked list of assignees that are potential licensees of a source patent portfolio is presented to a user. In
30 the environment of the patent data service 204, this is done by returning the results of the SQL

statements done on the relational patent data base 212 by the data base server 210 to the web server 206. The results are formatted for the client by the web server 206 and sent to a client browser in response to an initial request.

Note that elements of the various scenarios shown in Figures 4-7 can be combined as will be apparent by those skilled in the art. For example, the principle introduced in connection with Figure 7, steps 706-710, that broadens out the number of patents to successive levels can be applied to the scenarios shown in Figures 4-6.

By way of example and not limitation, the expansion principle can be applied is to the set of cited references and patents having at least one of the references in Figure 5, steps 502-504, by taking the SHARED_REFERENCE_PATENTS and working with those patents as a starting point for determining the set of cited references to expand out to another level. The effect of this expansion is to increase the number of SHARED_REFERENCE_PATENTS yields higher quality end results in many instances since certain assignees are better represented. The same expansion could apply to the scenario shown in Figure 6 where the set of correlated patents is likewise expanded to successive levels.

While the preferred embodiment of the present invention has been described in detail, it will be understood that modification and adaptations to the embodiment(s) shown may occur to one of skill in the art without departing from the scope of the present invention as set forth in the following claims. Thus, the scope of this invention is to be construed according to the appended claims and not just to the specifics disclosed in the exemplary embodiment or embodiments.

References in the claims to an element in the singular is not intended to mean "one and only" unless explicitly so stated, but rather "one or more." All structural and function

equivalents to the elements of the above-described exemplary embodiment that are currently known or later come to be known to those of ordinary skill in the art are expressly incorporated herein by reference and are intended to be encompassed by the present claims. No element, component, or method step in the present disclosure is intended to be dedicated to the public
5 regardless of whether the element, component, or method step is explicitly recited in the claims. No claim element herein is to be construed under the provisions of 35 U.S.C. § 112, sixth paragraph, unless the element is expressly recited using the phrase "means for" or "step for."

CLAIMS

1. A method for ascertaining assignees associated with a source patent portfolio, the source patent portfolio composed of one or more patents where each patent has one or more references cited thereto, the method comprising:

- 5 determining a set of cited references (“shared” references) contained in the patents of the source patent portfolio;
- establishing a set of related patents wherein each patent contains at least one of the references found in the set of cited references;
- processing all of the patents in the set of related patents to determine the
- 10 assignees contained in the set; and
- organizing the assignees according to a ranking criteria.

2. A method as recited in claim 1 further comprising:

- adding, to the set of related patents, a set of patents that cite as a reference at
- 15 least one of the patents in the source patent portfolio (“forward” references).

3. A method as recited in claim 1 wherein the set of cited references contains all the references contained in all the patents of the source patent portfolio and the set of related patents contains all the patents indicated by the set of cited references.

20

4. A method as recited in claim 1 wherein the ranking criteria is the frequency of occurrence for each assignee in the set of related patents.

5. A method as recited in claim 1 wherein the ranking criteria is the ratio of the total number of patents held by an assignee to the frequency of occurrence for the assignee in the set of related patents.

5

6. A method as recited in claim 1 wherein the source patent portfolio is the set of all patents assigned to a particular assignee.

7. A method as recited in claim 1 further comprising:

10 presenting the organized assignees in an HTML document that can be read by an Internet browser.

8. A method as recited in claim 1 wherein only a predetermined number of the associated assignees are organized.

15

9. A method as recited in claim 1 wherein the ranking criteria is based on the number of references from the set of cited references that are contained in the set of related patents for each assignee.

20 10. A method as recited in claim 1 wherein the ranking criteria gives higher ranking to assignees having patents in the set of related patents that contain more than one of the references in the set of cited references.

11. A computer program product comprising:

a computer usable medium;

computer readable instructions embodied on said computer useable medium for
ascertaining assignees associated with a source patent portfolio, the source patent
5 portfolio composed of one or more patents where each patent has one or more references
cited thereto, the instructions directing a computer to perform the steps of:

determining a set of cited references ("shared" references) contained in
the patents of the source patent portfolio;

10 establishing a set of related patents wherein each patent contains at least
one of the references found in the set of cited references;

processing all of the patents in the set of related patents to determine the
assignees contained in the set; and

organizing the assignees according to a ranking criteria.

15 12. A computer program product as recited in claim 11 further comprising the
instructions directing a computer to perform the steps of:

adding, to the set of related patents, a set of patents that cite as a reference at
least one of the patents in the source patent portfolio ("forward" references).

20 13. A computer program product as recited in claim 11 wherein the set of cited
references contains all the references contained in all the patents of the source patent portfolio
and the set of related patents contains all the patents indicated by the set of cited references.

14. A computer program product as recited in claim 11 wherein the ranking criteria is the frequency of occurrence for each assignee in the set of related patents.

15. A computer program product as recited in claim 11 wherein the ranking criteria is the ratio of the total number of patents held by an assignee to the frequency of occurrence for the assignee in the set of related patents.

16. A computer program product as recited in claim 11 wherein the source patent portfolio is the set of all patents assigned to a particular assignee.

10

17. A computer program product as recited in claim 11 further comprising the instructions directing a computer to perform the steps of:

presenting the organized assignees in an HTML document that can be read by an Internet browser.

15

18. A computer program product as recited in claim 11 wherein only a predetermined number of the associated assignees are organized.

19. A computer program product as recited in claim 11 wherein the ranking criteria is based on the number of references from the set of cited references that are contained in the set of related patents for each assignee.

20

20. A computer program product as recited in claim 11 wherein the ranking criteria gives higher ranking to assignees having patents in the set of related patents that contain more than one of the references in the set of cited references.

5 21. A system for ascertaining assignees associated with a source patent portfolio, the source patent portfolio composed of one or more patents where each patent has one or more references cited thereto, the system comprising:

 a means for determining a set of cited references ("shared" references) contained in the patents of the source patent portfolio;

10 a means for establishing a set of related patents wherein each patent contains at least one of the references found in the set of cited references;

 a means for processing all of the patents in the set of related patents to determine the assignees contained in the set; and

 a means for organizing the assignees according to a ranking criteria.

15 22. A system as recited in claim 21 further comprising:

 a means for adding, to the set of related patents, a set of patents that cite as a reference at least one of the patents in the source patent portfolio ("forward" references).

20 23. A system as recited in claim 21 wherein the set of cited references contains all the references contained in all the patents of the source patent portfolio and the set of related patents contains all the patents indicated by the set of cited references.

24. A system as recited in claim 21 wherein the ranking criteria is the frequency of occurrence for each assignee in the set of related patents.

25. A system as recited in claim 21 wherein the ranking criteria is the ratio of the total number of patents held by an assignee to the frequency of occurrence for the assignee in the set of related patents.

26. A system as recited in claim 21 wherein the source patent portfolio is the set of all patents assigned to a particular assignee.

10

27. A system as recited in claim 21 further comprising:

a means for presenting the organized assignees in an HTML document that can be read by an Internet browser.

15 28. A system as recited in claim 21 wherein only a predetermined number of the associated assignees are organized.

29. A system as recited in claim 21 wherein the ranking criteria is based on the number of references from the set of cited references that are contained in the set of related patents for each assignee.

20

30. A system as recited in claim 21 wherein the ranking criteria gives higher ranking to assignees having patents in the set of related patents that contain more than one of the references in the set of cited references.




FIG. 1




FIG. 2

3/9




FIG. 3A

4/9




FIG. 3B

5/9




FIG. 3C

6/9




FIG. 4

7/9




FIG. 5




FIG. 6




FIG. 7

PATENT COOPERATION TREATY

PCT

DECLARATION OF NON-ESTABLISHMENT OF INTERNATIONAL SEARCH REPORT

(PCT Article 17(2)(a), Rules 13ter.1(c) and Rule 39)


Applicant's or agent's file reference 01-060-A	IMPORTANT DECLARATION	Date of mailing(day/month/year) 02/10/2001
International application No. PCT/US 01/ 13123	International filing date(day/month/year) 24/04/2001	(Earliest) Priority date(day/month/year) 28/04/2000
International Patent Classification (IPC) or both national classification and IPC G06F17/06		
Applicant DELPHION, INC et al.		

This International Searching Authority hereby declares, according to Article 17(2)(a), that **no international search report will be established** on the international application for the reasons indicated below

1. ☒ The subject matter of the international application relates to:
 - a. ☐ scientific theories.
 - b. ☐ mathematical theories
 - c. ☐ plant varieties.
 - d. ☐ animal varieties.
 - e. ☐ essentially biological processes for the production of plants and animals, other than microbiological processes and the products of such processes.
 - f. ☒ schemes, rules or methods of doing business.
 - g. ☐ schemes, rules or methods of performing purely mental acts.
 - h. ☐ schemes, rules or methods of playing games.
 - i. ☐ methods for treatment of the human body by surgery or therapy.
 - j. ☐ methods for treatment of the animal body by surgery or therapy.
 - k. ☐ diagnostic methods practised on the human or animal body.
 - l. ☐ mere presentations of information.
 - m. ☐ computer programs for which this International Searching Authority is not equipped to search prior art.
2. ☐ The failure of the following parts of the international application to comply with prescribed requirements prevents a meaningful search from being carried out:

☐ the description
 ☐ the claims
 ☐ the drawings
3. ☐ The failure of the nucleotide and/or amino acid sequence listing to comply with the standard provided for in Annex C of the Administrative Instructions prevents a meaningful search from being carried out:

☐ the written form has not been furnished or does not comply with the standard.
 ☐ the computer readable form has not been furnished or does not comply with the standard.
4. Further comments:

Name and mailing address of the International Searching Authority  European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer María Rodríguez Nóvoa
--	--

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 203

The subject-matter claimed in claims 1-10 falls under the provisions of Article 17(2)(a)(i) and Rule 39.1(iii) PCT, such subject-matter relating to a method of doing business.

Claims 11-30 relate to commonplace technological features for performing the business method of the method claims. Although these claims do not literally belong to the method category, they essentially claim protection for the same commercial effect as the method claims. With reference to the Guidelines, B-VIII, points 1-6, the International Searching Authority considers that searching such commercial features would serve no useful purpose. This applies to the remaining commonplace technological features of these claims as well.

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.